

01 / Front wall

Piece 1/17 · Landscape A4 · row 1/2, column 1/1 · sheet 1/27

Cut edge: 240 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

01 / Front wall

Piece 1/17 · Landscape A4 · row 2/2, column 1/1 · sheet 2/27


Cut edge: 240 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

02 / Divider 1

Piece 2/17 · Landscape A4 · row 1/2, column 1/1 · sheet 3/27

Cut edge: 240 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

02 / Divider 1

Piece 2/17 · Landscape A4 · row 2/2, column 1/1 · sheet 4/27


Cut edge: 240 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Divider 2

Piece 3/17 · Landscape A4 · row 1/2, column 1/1 · sheet 5/27

Cut edge: 240 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Divider 2

Piece 3/17 · Landscape A4 · row 2/2, column 1/1 · sheet 6/27


Cut edge: 240 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

04 / Back

Piece 4/17 · Landscape A4 · row 1/2, column 1/1 · sheet 7/27

Cut edge: 240 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

04 / Back

Piece 4/17 · Landscape A4 · row 2/2, column 1/1 · sheet 8/27


Cut edge: 240 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

05 / Compartment bottom 1

Piece 5/17 · Landscape A4 · row 1/1, column 1/1 · sheet 9/27


Cut edge: 240 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


06 / Folding side panel 1 · left

Piece 6/17 · Portrait A4 · row 1/1, column 1/1 · sheet 10/27

Cut edge: 34.99 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
The piece fits entirely on this sheet. No assembly is required.
Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


07 / Folding side panel 1 · Right

Piece 7/17 · Portrait A4 · row 1/1, column 1/1 · sheet 11/27

Cut edge: 34.99 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
The piece fits entirely on this sheet. No assembly is required.
Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

08 / Compartment bottom 2

Piece 8/17 · Landscape A4 · row 1/1, column 1/1 · sheet 12/27

Cut edge: 240 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


09 / Folding side panel 2 · left

Piece 9/17 · Portrait A4 · row 1/1, column 1/1 · sheet 13/27

Cut edge: 34.99 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
The piece fits entirely on this sheet. No assembly is required.
Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


10 / Folding side panel 2 · Right

Piece 10/17 · Portrait A4 · row 1/1, column 1/1 · sheet 14/27

Cut edge: 34.99 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
The piece fits entirely on this sheet. No assembly is required.
Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

11 / Compartment bottom 3

Piece 11/17 · Landscape A4 · row 1/1, column 1/1 · sheet 15/27

Cut edge: 240 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


12 / Folding side panel 3 · left

Piece 12/17 · Portrait A4 · row 1/1, column 1/1 · sheet 16/27

Cut edge: 34.99 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
The piece fits entirely on this sheet. No assembly is required.
Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


13 / Folding side panel 3 · Right

Piece 13/17 · Portrait A4 · row 1/1, column 1/1 · sheet 17/27

Cut edge: 34.99 × 170 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
The piece fits entirely on this sheet. No assembly is required.
Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

14 / Flap

Piece 14/17 · Landscape A4 · row 1/3, column 1/1 · sheet 18/27


Cut edge: 240 × 242 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

14 / Flap

Piece 14/17 · Landscape A4 · row 2/3, column 1/1 · sheet 19/27


Cut edge: 240 × 242 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

14 / Flap

Piece 14/17 · Landscape A4 · row 3/3, column 1/1 · sheet 20/27


Cut edge: 240 × 242 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

15 / Strap attachment · left

Piece 15/17 · Portrait A4 · row 1/1, column 1/1 · sheet 21/27


Cut edge: 20 × 70 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

16 / Strap attachment · right

Piece 16/17 · Portrait A4 · row 1/1, column 1/1 · sheet 22/27


Cut edge: 20 × 70 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

17 / Shoulder strap

Piece 17/17 · Landscape A4 · row 1/1, column 1/5 · sheet 23/27


Cut edge: 1150 × 20 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

17 / Shoulder strap

Piece 17/17 · Landscape A4 · row 1/1, column 2/5 · sheet 24/27


Cut edge: 1150 × 20 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

17 / Shoulder strap

Piece 17/17 · Landscape A4 · row 1/1, column 3/5 · sheet 25/27


Cut edge: 1150 × 20 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

17 / Shoulder strap

Piece 17/17 · Landscape A4 · row 1/1, column 4/5 · sheet 26/27


Cut edge: 1150 × 20 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

17 / Shoulder strap

Piece 17/17 · Landscape A4 · row 1/1, column 5/5 · sheet 27/27


Cut edge: 1150 × 20 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.