


Edge: 285 × 260 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The photograph and diagram have different proportions. For a trial assembly, 300 × 260 × 120 mm was adopted. The two side panels transition into a wide handle and join at its apex. The inner divider and snaps were reconstructed from the photograph.



Scale check: 100 mm

Print: 100%, actual size.

Page: 339 × 356 mm.

Parameters and updates: vlotho-farben.com/cad/models/basket-handle/

Prototype: fold and thickness adjustments are not included.


VLOTHO / CAD

Edge: 285 × 260 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The photograph and diagram have different proportions. For a trial assembly, 300 × 260 × 120 mm was adopted. The two side panels transition into a wide handle and join at its apex. The inner divider and snaps were reconstructed from the photograph.



Scale check: 100 mm

Print: 100%, actual size.

Page: 339 × 356 mm.

Parameters and updates: vlotho-farben.com/cad/models/basket-handle/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD


03 / Interior divider

Edge: 285 × 260 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The photograph and diagram have different proportions. For a trial assembly, 300 × 260 × 120 mm was adopted. The two side panels transition into a wide handle and join at its apex. The inner divider and snaps were reconstructed from the photograph.



Scale check: 100 mm

Print: 100%, actual size.

Page: 339 × 356 mm.

Parameters and updates: vlotho-farben.com/cad/models/basket-handle/

Prototype: fold and thickness adjustments are not included.


04 / Bottom

Edge: 285 × 120 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The photograph and diagram have different proportions. For a trial assembly, 300 × 260 × 120 mm was adopted. The two side panels transition into a wide handle and join at its apex. The inner divider and snaps were reconstructed from the photograph.



Scale check: 100 mm

Print: 100%, actual size.

Page: 339 × 216 mm.

Parameters and updates: vlotho-farben.com/cad/models/basket-handle/

Prototype: fold and thickness adjustments are not included.

05 / Side panel with half handle · left


5 / 7

Edge: 120 × 503.69 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Join the halves at the handle apex edge to edge through a reinforcement. Stitch the gussets to the walls and bottom; leave the handle free above the opening.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 x 599.69 mm.



Parameters and updates: [vlotho-farben.com/cad/models/basket-](https://vlotho-farben.com/cad/models/basket-prototype/)
Prototype: fold and thickness adjustments are not included.


VLOTHO / CAD

Edge: 120 × 503.69 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Join the halves at the handle apex edge to edge through a reinforcement. Stitch the gussets to the walls and bottom; leave the handle free above the opening.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 599.69 mm.

Parameters and updates: vlotho-farben.com/cad/models/basket-handle/

Prototype: fold and thickness adjustments are not included.

07 / Handle joint reinforcement


7 / 7

Edge: 45 × 55 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The photograph and diagram have different proportions. For a trial assembly, 300 × 260 × 120 mm was adopted. The two side panels transition into a wide handle and join at its apex. The inner divider and snaps were reconstructed from the photograph.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 160 mm.

Parameters and updates: vlotho-farben.com/cad/models/basket-handle/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD