


01 / Front—crescent

Baseline: 250 × 181.87 mm | Seam allowance: 5 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Concave edge—to the zipper placket; convex edge—to the side panel. Align centers.



Scale check: 100 mm

Parameters and updates: vlotho-farben.com/cad/models/crescent/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 314 × 290.25 mm.


02 / Back—crescent

Baseline: 250 × 181.87 mm | Seam allowance: 5 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Concave edge—to the zipper placket; convex edge—to the side panel. Align centers.



Scale check: 100 mm

Parameters and updates: vlotho-farben.com/cad/models/crescent/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 314 × 290.25 mm.


03 / Side panel and rounded bottom

Baseline: 516.64 × 70 mm | Seam allowance: 5 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Wide middle—bottom; narrow ends—top. Center the zipper between the end seams.



Scale check: 100 mm

Print: 100%, actual size.

Page: 580.64 × 176 mm.

Parameters and updates: vlotho-farben.com/cad/models/crescent/

Prototype: fold and thickness adjustments are not included.

04 / Zipper placket— front


4 / 11

Baseline: 230.12 × 12.5 mm | Seam allowance: 5 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Curved edge—to the wall; straight edge—to the zipper. Teeth occupy the 6 mm gap.



Scale check: 100 mm

Print: 100%, actual size.

Page: 294.12 × 160 mm.



Parameters and updates: vlotho-farben.com/cad/models/crescent/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

05 / Zipper placket— back


5 / 11

Baseline: 230.12 × 12.5 mm | Seam allowance: 5 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Curved edge—to the wall; straight edge—to the zipper. Teeth occupy the 6 mm gap.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/crescent/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 294.12 × 160 mm.

VLOTHO / CAD


06 / Handle— outer layer

Baseline: 510 × 18 mm | Seam allowance: 5 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Marks—attachment points. Between them 420 mm; 45 mm ends—for adjustment.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/crescent/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 574 × 160 mm.


07 / Handle— inner layer

Baseline: 510 × 18 mm | Seam allowance: 5 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Marks—attachment points. Between them 420 mm; 45 mm ends—for adjustment.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/crescent/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 574 × 160 mm.

08 / Handle attachment— left


8 / 11

Baseline: 18 × 50 mm | Seam allowance: 5 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Fold at center. Fit to the ring; mark the fastening and reinforcement on the mock-up.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 160 mm.



Parameters and updates: vlotho-farben.com/cad/models/crescent/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

09 / Handle attachment— right


9 / 11

Baseline: 18 × 50 mm | Seam allowance: 5 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Fold at center. Fit to the ring; mark the fastening and reinforcement on the mock-up.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 160 mm.



Parameters and updates: vlotho-farben.com/cad/models/crescent/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

10 / Leather zipper pull tab


10 / 11

Baseline: 10 × 50 mm | Seam allowance: 5 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Fold at center, put onto the slider. Glue the layers; secure using the selected method.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/crescent/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 160 mm.

11 / Inner card pocket


11 / 11

Baseline: 96 × 58 mm | Seam allowance: 5 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Top open. Seam aligns with the marking on the inside of the back.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 164 mm.



Parameters and updates: vlotho-farben.com/cad/models/crescent/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD