


01 / Front, bottom, and back · One-piece layout

Edge: 300 × 490 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

A width of 300 mm was adopted from the diagram; height, depth and slots were estimated from the photograph. The front, bottom and back panel form a single unfolded piece. The slots and two facings are included in the patterns; the side panels are cut separately. Embossing is not a cutting line.



Scale check: 100 mm

Print: 100%, actual size.

Page: 354 × 586 mm.

Parameters and updates: vlotho-farben.com/cad/models/cutout-satchel/

Prototype: fold and thickness adjustments are not included.


02 / Side panel · left

Edge: 90 × 172 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

A width of 300 mm was adopted from the diagram; height, depth and slots were estimated from the photograph. The front, bottom and back panel form a single unfolded piece. The slots and two facings are included in the patterns; the side panels are cut separately. Embossing is not a cutting line.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 268 mm.

Parameters and updates: vlotho-farben.com/cad/models/cutout-satchel/

Prototype: fold and thickness adjustments are not included.

03 / Handle facing · Back


3 / 8

Edge: 113.76 × 49 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

A width of 300 mm was adopted from the diagram; height, depth and slots were estimated from the photograph. The front, bottom and back panel form a single unfolded piece. The slots and two facings are included in the patterns; the side panels are cut separately. Embossing is not a cutting line.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 160 mm.



Parameters and updates: vlotho-farben.com/cad/models/cutout-satchel/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD


04 / Side panel · Right

Edge: 90 × 172 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

A width of 300 mm was adopted from the diagram; height, depth and slots were estimated from the photograph. The front, bottom and back panel form a single unfolded piece. The slots and two facings are included in the patterns; the side panels are cut separately. Embossing is not a cutting line.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 268 mm.



Parameters and updates: vlotho-farben.com/cad/models/cutout-satchel/

Prototype: fold and thickness adjustments are not included.

05 / Handle facing · Front


5 / 8

Edge: 113.76 × 49 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

A width of 300 mm was adopted from the diagram; height, depth and slots were estimated from the photograph. The front, bottom and back panel form a single unfolded piece. The slots and two facings are included in the patterns; the side panels are cut separately. Embossing is not a cutting line.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 160 mm.

Parameters and updates: vlotho-farben.com/cad/models/cutout-satchel/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

06 / Strap attachment · left


6 / 8

Edge: 18 × 70 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

A width of 300 mm was adopted from the diagram; height, depth and slots were estimated from the photograph. The front, bottom and back panel form a single unfolded piece. The slots and two facings are included in the patterns; the side panels are cut separately. Embossing is not a cutting line.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 166 mm.

Parameters and updates: vlotho-farben.com/cad/models/cutout-satchel/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

07 / Strap attachment · right


7 / 8

Edge: 18 × 70 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

A width of 300 mm was adopted from the diagram; height, depth and slots were estimated from the photograph. The front, bottom and back panel form a single unfolded piece. The slots and two facings are included in the patterns; the side panels are cut separately. Embossing is not a cutting line.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 166 mm.

Parameters and updates: vlotho-farben.com/cad/models/cutout-satchel/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

08 / Shoulder strap

Edge: 1100 × 18 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The trial length includes ends for adjustment. Holes Ø 3 mm; check against the buckle. Carabiners and rings are purchased hardware.

