

01 / Front with two darts

Piece 1/6 · Landscape A4 · row 1/2, column 1/1 · sheet 1/14

Cut edge: 225.12 × 220 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

01 / Front with two darts

Piece 1/6 · Landscape A4 · row 2/2, column 1/1 · sheet 2/14


Cut edge: 225.12 × 220 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.

Geometric prototype.

02 / Back with darts, flap, and tab

Piece 2/6 · Landscape A4 · row 1/2, column 1/2 · sheet 3/14


Cut edge: 225.12 × 496.25 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

02 / Back with darts, flap, and tab

Piece 2/6 · Landscape A4 · row 1/2, column 2/2 · sheet 4/14


Cut edge: 225.12 × 496.25 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.

Geometric prototype.

02 / Back with darts, flap, and tab

Piece 2/6 · Landscape A4 · row 2/2, column 1/2 · sheet 5/14


Cut edge: 225.12 × 496.25 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.

Geometric prototype.

02 / Back with darts, flap, and tab

Piece 2/6 · Landscape A4 · row 2/2, column 2/2 · sheet 6/14


Cut edge: 225.12 × 496.25 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.

Geometric prototype.

03 / Closure keeper

Piece 3/6 · Landscape A4 · row 1/1, column 1/1 · sheet 7/14


Cut edge: 60 × 16 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

04 / Strap attachment · left

Piece 4/6 · Portrait A4 · row 1/1, column 1/1 · sheet 8/14


Cut edge: 22 × 70 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

05 / Strap attachment · right

Piece 5/6 · Portrait A4 · row 1/1, column 1/1 · sheet 9/14


Cut edge: 22 × 70 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

06 / Shoulder strap

Piece 6/6 · Landscape A4 · row 1/1, column 1/5 · sheet 10/14


Cut edge: 1100 × 22 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

06 / Shoulder strap

Piece 6/6 · Landscape A4 · row 1/1, column 2/5 · sheet 11/14


Cut edge: 1100 × 22 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

06 / Shoulder strap

Piece 6/6 · Landscape A4 · row 1/1, column 3/5 · sheet 12/14


Cut edge: 1100 × 22 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

06 / Shoulder strap

Piece 6/6 · Landscape A4 · row 1/1, column 4/5 · sheet 13/14


Cut edge: 1100 × 22 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

06 / Shoulder strap

Piece 6/6 · Landscape A4 · row 1/1, column 5/5 · sheet 14/14

Cut edge: 1100 × 22 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.