


01 / Front · Shaped center

Edge: 133.62 × 152.48 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Source without dimensions: provisional dimensions of 240 × 190 × 70 mm have been used. The front consists of a center section, two side panels, and a lower arc. The narrow tab is cut together with the flap; the loop and carabiner attachments are separate.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 248.48 mm.

Parameters and updates: vlotho-farben.com/cad/models/panel-saddle/

Prototype: fold and thickness adjustments are not included.

02 / Front · Lower arc


2 / 11

Edge: 228.87 × 61.35 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Source without dimensions: provisional dimensions of 240 × 190 × 70 mm have been used. The front consists of a center section, two side panels, and a lower arc. The narrow tab is cut together with the flap; the loop and carabiner attachments are separate.



Scale check: 100 mm

Print: 100%, actual size.

Page: 282.87 × 160 mm.

Parameters and updates: vlotho-farben.com/cad/models/panel-saddle/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD


03 / Front · Side panel 1

Edge: 62.45 × 145.74 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Source without dimensions: provisional dimensions of 240 × 190 × 70 mm have been used. The front consists of a center section, two side panels, and a lower arc. The narrow tab is cut together with the flap; the loop and carabiner attachments are separate.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 241.74 mm.

Parameters and updates: vlotho-farben.com/cad/models/panel-saddle/

Prototype: fold and thickness adjustments are not included.


04 / Front · Side panel 2

Edge: 62.44 × 145.74 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Source without dimensions: provisional dimensions of 240 × 190 × 70 mm have been used. The front consists of a center section, two side panels, and a lower arc. The narrow tab is cut together with the flap; the loop and carabiner attachments are separate.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 241.74 mm.

Parameters and updates: vlotho-farben.com/cad/models/panel-saddle/

Prototype: fold and thickness adjustments are not included.


05 / Side panel and bottom · Continuous strip

Edge: 551.98 × 70 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The length of the base strip equals the length of the side and bottom contour of the wall. Align the middle of the bottom. Check the seam offset and thickness on the mock-up.



Scale check: 100 mm

Print: 100%, actual size.

Page: 605.98 × 166 mm.

Parameters and updates: vlotho-farben.com/cad/models/panel-saddle/

Prototype: fold and thickness adjustments are not included.


06 / Back panel

Edge: 231.26 × 190 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Source without dimensions: provisional dimensions of 240 × 190 × 70 mm have been used. The front consists of a center section, two side panels, and a lower arc. The narrow tab is cut together with the flap; the loop and carabiner attachments are separate.



Scale check: 100 mm

Print: 100%, actual size.

Page: 285.26 × 286 mm.

Parameters and updates: vlotho-farben.com/cad/models/panel-saddle/


Prototype: fold and thickness adjustments are not included.

Edge: 199.2 × 259 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Source without dimensions: provisional dimensions of 240 × 190 × 70 mm have been used. The front consists of a center section, two side panels, and a lower arc. The narrow tab is cut together with the flap; the loop and carabiner attachments are separate.



Scale check: 100 mm

Print: 100%, actual size.

Page: 253.2 × 355 mm.

Parameters and updates: vlotho-farben.com/cad/models/panel-saddle/

Prototype: fold and thickness adjustments are not included.

08 / Strap attachment · left


8 / 11

Edge: 20 × 70 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Source without dimensions: provisional dimensions of 240 × 190 × 70 mm have been used. The front consists of a center section, two side panels, and a lower arc. The narrow tab is cut together with the flap; the loop and carabiner attachments are separate.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 166 mm.

Parameters and updates: vlotho-farben.com/cad/models/panel-saddle/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

09 / Strap attachment · right


9 / 11

Edge: 20 × 70 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Source without dimensions: provisional dimensions of 240 × 190 × 70 mm have been used. The front consists of a center section, two side panels, and a lower arc. The narrow tab is cut together with the flap; the loop and carabiner attachments are separate.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 166 mm.

Parameters and updates: vlotho-farben.com/cad/models/panel-saddle/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD


10 / Shoulder strap

Edge: 1150 × 20 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The trial length includes ends for adjustment. Holes Ø 3 mm; check against the buckle. Carabiners and rings are purchased hardware.



11 / Closure keeper


11 / 11

Edge: 60 × 16 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Source without dimensions: provisional dimensions of 240 × 190 × 70 mm have been used. The front consists of a center section, two side panels, and a lower arc. The narrow tab is cut together with the flap; the loop and carabiner attachments are separate.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 160 mm.

Parameters and updates: vlotho-farben.com/cad/models/panel-saddle/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD