


01 / Asymmetrical back

Piece 1/12 · Portrait A4 · row 1/2, column 1/1 · sheet 1/25

Cut edge: 180 × 320 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


01 / Asymmetrical back

Piece 1/12 · Portrait A4 · row 2/2, column 1/1 · sheet 2/25

Cut edge: 180 × 320 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

02 / Asymmetrical front base

Piece 2/12 · Portrait A4 · row 1/2, column 1/1 · sheet 3/25


Cut edge: 180 × 320 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.

Geometric prototype.


02 / Asymmetrical front base

Piece 2/12 · Portrait A4 · row 2/2, column 1/1 · sheet 4/25

Cut edge: 180 × 320 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side base strip

Piece 3/12 · Landscape A4 · row 1/1, column 1/4 · sheet 5/25


Cut edge: 923.84 × 12 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side base strip

Piece 3/12 · Landscape A4 · row 1/1, column 2/4 · sheet 6/25


Cut edge: 923.84 × 12 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side base strip

Piece 3/12 · Landscape A4 · row 1/1, column 3/4 · sheet 7/25


Cut edge: 923.84 × 12 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side base strip

Piece 3/12 · Landscape A4 · row 1/1, column 4/4 · sheet 8/25

Cut edge: 923.84 × 12 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


04 / Zipped front compartment

Piece 4/12 · Portrait A4 · row 1/2, column 1/1 · sheet 9/25

Cut edge: 156.6 × 227.2 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


04 / Zipped front compartment

Piece 4/12 · Portrait A4 · row 2/2, column 1/1 · sheet 10/25

Cut edge: 156.6 × 227.2 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

05 / Compartment side panel with a slit for the zipper

Piece 5/12 · Landscape A4 · row 1/1, column 1/3 · sheet 11/25


Cut edge: 753.86 × 28 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

05 / Compartment side panel with a slit for the zipper

Piece 5/12 · Landscape A4 · row 1/1, column 2/3 · sheet 12/25


Cut edge: 753.86 × 28 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

05 / Compartment side panel with a slit for the zipper

Piece 5/12 · Landscape A4 · row 1/1, column 3/3 · sheet 13/25


Cut edge: 753.86 × 28 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

06 / Pocket · outer-pocket

Piece 6/12 · Portrait A4 · row 1/1, column 1/1 · sheet 14/25


Cut edge: 117.45 × 140.86 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

07 / Pocket side panel and bottom · outer-pocket

Piece 7/12 · Landscape A4 · row 1/1, column 1/2 · sheet 15/25


Cut edge: 390.59 × 18 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

07 / Pocket side panel and bottom · outer-pocket

Piece 7/12 · Landscape A4 · row 1/1, column 2/2 · sheet 16/25

Cut edge: 390.59 × 18 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

08 / Pocket flap · outer-pocket

Piece 8/12 · Landscape A4 · row 1/1, column 1/1 · sheet 17/25


Cut edge: 117.45 × 93 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

09 / Inner flat pocket

Piece 9/12 · Portrait A4 · row 1/1, column 1/1 · sheet 18/25


Cut edge: 125.28 × 147.68 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Shoulder strap · Leather strap replacement

Piece 10/12 · Landscape A4 · row 1/1, column 1/5 · sheet 19/25

Cut edge: 1200 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Shoulder strap · Leather strap replacement

Piece 10/12 · Landscape A4 · row 1/1, column 2/5 · sheet 20/25


Cut edge: 1200 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Shoulder strap · Leather strap replacement

Piece 10/12 · Landscape A4 · row 1/1, column 3/5 · sheet 21/25


Cut edge: 1200 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Shoulder strap · Leather strap replacement

Piece 10/12 · Landscape A4 · row 1/1, column 4/5 · sheet 22/25

Cut edge: 1200 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Shoulder strap · Leather strap replacement

Piece 10/12 · Landscape A4 · row 1/1, column 5/5 · sheet 23/25


Cut edge: 1200 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

11 / Strap attachment · Upper

Piece 11/12 · Portrait A4 · row 1/1, column 1/1 · sheet 24/25


Cut edge: 30 × 65 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


12 / Strap attachment · Lower

Piece 12/12 · Portrait A4 · row 1/1, column 1/1 · sheet 25/25

Cut edge: 30 × 65 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
The piece fits entirely on this sheet. No assembly is required.
Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.