


Edge: 210 × 363.75 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Fold along the blue lines; the side seams join the front and the lower part of the back. Do not sew the flap closed. The additional transition accounts for the thickness of the contents.



Scale check: 100 mm

Print: 100%, actual size.

Page: 264 × 459.75 mm.

Parameters and updates: vlotho-farben.com/cad/models/scallop-clutch/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

02 / Side insert · left


2 / 4

Edge: 15 × 110 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The diagram shows a 350 × 210 mm layout: sections of 110, 130 and 110 mm. A width of 210 mm, a back panel of 130 mm and a front of 110 mm were used. A 15 mm transition was added for thickness; this is a trial adaptation of the diagram. Adjust the strap and fastener. The roses are illustration decor, not a cutting line.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 206 mm.

Parameters and updates: vlotho-farben.com/cad/models/scallop-clutch/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

03 / Side insert · Right


3 / 4

Edge: 15 × 110 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The diagram shows a 350 × 210 mm layout: sections of 110, 130 and 110 mm. A width of 210 mm, a back panel of 130 mm and a front of 110 mm were used. A 15 mm transition was added for thickness; this is a trial adaptation of the diagram. Adjust the strap and fastener. The roses are illustration decor, not a cutting line.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 206 mm.

Parameters and updates: vlotho-farben.com/cad/models/scallop-clutch/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD


04 / Wrist loop

Edge: 300 × 12 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The diagram shows a 350 × 210 mm layout: sections of 110, 130 and 110 mm. A width of 210 mm, a back panel of 130 mm and a front of 110 mm were used. A 15 mm transition was added for thickness; this is a trial adaptation of the diagram. Adjust the strap and fastener. The roses are illustration decor, not a cutting line.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/scallop-clutch/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 354 × 160 mm.