


01 / Panel · Back · left Half

Edge: 165.21 × 220 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the caption in the photo: width 340 mm, height 220 mm, depth 60 mm. Separate diagrams showing 400 and 260 mm do not match the photo: the contour and zipper length were recalculated based on the walls. Each wall is divided by a central seam; the strap is adjustable.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 316 mm.

Parameters and updates: vlotho-farben.com/cad/models/seamed-crescent/

Prototype: fold and thickness adjustments are not included.


02 / Panel · Back · Right Half

Edge: 165.21 × 220 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the caption in the photo: width 340 mm, height 220 mm, depth 60 mm. Separate diagrams showing 400 and 260 mm do not match the photo: the contour and zipper length were recalculated based on the walls. Each wall is divided by a central seam; the strap is adjustable.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 316 mm.

Parameters and updates: vlotho-farben.com/cad/models/seamed-crescent/

Prototype: fold and thickness adjustments are not included.


03 / Panel · Front · left Half

Edge: 165.21 × 220 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the caption in the photo: width 340 mm, height 220 mm, depth 60 mm. Separate diagrams showing 400 and 260 mm do not match the photo: the contour and zipper length were recalculated based on the walls. Each wall is divided by a central seam; the strap is adjustable.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 316 mm.

Parameters and updates: vlotho-farben.com/cad/models/seamed-crescent/

Prototype: fold and thickness adjustments are not included.


04 / Panel · Front · Right Half

Edge: 165.21 × 220 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the caption in the photo: width 340 mm, height 220 mm, depth 60 mm. Separate diagrams showing 400 and 260 mm do not match the photo: the contour and zipper length were recalculated based on the walls. Each wall is divided by a central seam; the strap is adjustable.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 316 mm.

Parameters and updates: vlotho-farben.com/cad/models/seamed-crescent/

Prototype: fold and thickness adjustments are not included.

05 / Side panel and bottom

Edge: 685.66 × 60 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The base strip length has been recalculated along the wall contour. Align the center marks; check the seam offset and fit on the prototype.



Scale check: 100 mm

Print: 100%, actual size.

Page: 739.66 × 160 mm.

Parameters and updates: vlotho-farben.com/cad/models/seamed-crescent/

Prototype: fold and thickness adjustments are not included.


06 / Zipper facing · Back

Edge: 328.27 × 26 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The zipper is purchased hardware. The length is given along the base line; add installation ends for the selected zipper.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/seamed-crescent/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 382.27 × 160 mm.


07 / Zipper facing · Front

Edge: 328.27 × 26 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The zipper is purchased hardware. The length is given along the base line; add installation ends for the selected zipper.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/seamed-crescent/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 382.27 × 160 mm.

08 / Strap attachment · left


8 / 10

Edge: 25 × 70 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the caption in the photo: width 340 mm, height 220 mm, depth 60 mm. Separate diagrams showing 400 and 260 mm do not match the photo: the contour and zipper length were recalculated based on the walls. Each wall is divided by a central seam; the strap is adjustable.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/seamed-crescent/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 166 mm.

09 / Strap attachment · right


9 / 10

Edge: 25 × 70 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the caption in the photo: width 340 mm, height 220 mm, depth 60 mm. Separate diagrams showing 400 and 260 mm do not match the photo: the contour and zipper length were recalculated based on the walls. Each wall is divided by a central seam; the strap is adjustable.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/seamed-crescent/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 166 mm.


10 / Shoulder strap

Edge: 900 × 25 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The trial length includes ends for adjustment. Holes Ø 3 mm; check against the buckle. Carabiners and rings are purchased hardware.



Scale check: 100 mm

Print: 100%, actual size.

Page: 954 × 160 mm.

Parameters and updates: vlotho-farben.com/cad/models/seamed-crescent/

Prototype: fold and thickness adjustments are not included.