


01 / Front with a one-piece handle

Piece 1/11 · Portrait A4 · row 1/3, column 1/2 · sheet 1/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


01 / Front with a one-piece handle

Piece 1/11 · Portrait A4 · row 1/3, column 2/2 · sheet 2/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


01 / Front with a one-piece handle

Piece 1/11 · Portrait A4 · row 2/3, column 1/2 · sheet 3/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


01 / Front with a one-piece handle

Piece 1/11 · Portrait A4 · row 2/3, column 2/2 · sheet 4/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


01 / Front with a one-piece handle

Piece 1/11 · Portrait A4 · row 3/3, column 1/2 · sheet 5/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


01 / Front with a one-piece handle

Piece 1/11 · Portrait A4 · row 3/3, column 2/2 · sheet 6/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


02 / Back with a one-piece handle

Piece 2/11 · Portrait A4 · row 1/3, column 1/2 · sheet 7/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


02 / Back with a one-piece handle

Piece 2/11 · Portrait A4 · row 1/3, column 2/2 · sheet 8/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


02 / Back with a one-piece handle

Piece 2/11 · Portrait A4 · row 2/3, column 1/2 · sheet 9/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


02 / Back with a one-piece handle

Piece 2/11 · Portrait A4 · row 2/3, column 2/2 · sheet 10/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


02 / Back with a one-piece handle

Piece 2/11 · Portrait A4 · row 3/3, column 1/2 · sheet 11/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


02 / Back with a one-piece handle

Piece 2/11 · Portrait A4 · row 3/3, column 2/2 · sheet 12/30

Cut edge: 295 × 498.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side panel and bottom

Piece 3/11 · Portrait A4 · row 1/4, column 1/1 · sheet 13/30

Cut edge: 717.27 × 125 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side panel and bottom

Piece 3/11 · Portrait A4 · row 2/4, column 1/1 · sheet 14/30

Cut edge: 717.27 × 125 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side panel and bottom

Piece 3/11 · Portrait A4 · row 3/4, column 1/1 · sheet 15/30

Cut edge: 717.27 × 125 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side panel and bottom

Piece 3/11 · Portrait A4 · row 4/4, column 1/1 · sheet 16/30

Cut edge: 717.27 × 125 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


04 / Handle facing — front

Piece 4/11 · Portrait A4 · row 1/2, column 1/2 · sheet 17/30

Cut edge: 295 × 306.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


04 / Handle facing — front

Piece 4/11 · Portrait A4 · row 1/2, column 2/2 · sheet 18/30

Cut edge: 295 × 306.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


04 / Handle facing — front

Piece 4/11 · Portrait A4 · row 2/2, column 1/2 · sheet 19/30

Cut edge: 295 × 306.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


04 / Handle facing — front

Piece 4/11 · Portrait A4 · row 2/2, column 2/2 · sheet 20/30

Cut edge: 295 × 306.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


05 / Handle facing — back

Piece 5/11 · Portrait A4 · row 1/2, column 1/2 · sheet 21/30

Cut edge: 295 × 306.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


05 / Handle facing — back

Piece 5/11 · Portrait A4 · row 1/2, column 2/2 · sheet 22/30

Cut edge: 295 × 306.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


05 / Handle facing — back

Piece 5/11 · Portrait A4 · row 2/2, column 1/2 · sheet 23/30

Cut edge: 295 × 306.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


05 / Handle facing — back

Piece 5/11 · Portrait A4 · row 2/2, column 2/2 · sheet 24/30

Cut edge: 295 × 306.45 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

06 / Closure bridge

Piece 6/11 · Landscape A4 · row 1/1, column 1/1 · sheet 25/30


Cut edge: 26 × 205.2 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

07 / Closure loop

Piece 7/11 · Portrait A4 · row 1/1, column 1/1 · sheet 26/30


Cut edge: 26 × 58 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



08 / Zipper pocket — front

Piece 8/11 · Portrait A4 · row 1/1, column 1/1 · sheet 27/30


Cut edge: 160 × 120 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

09 / Zipper pocket — back

Piece 9/11 · Portrait A4 · row 1/1, column 1/1 · sheet 28/30


Cut edge: 160 × 120 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Tie — left

Piece 10/11 · Landscape A4 · row 1/1, column 1/1 · sheet 29/30

Cut edge: 226 × 16 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

11 / Tie — Right

Piece 11/11 · Landscape A4 · row 1/1, column 1/1 · sheet 30/30

Cut edge: 226 × 16 mm · Seam allowance: 5 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.