

01 / Front wall

Edge: 310 × 270 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The source has no scale. Trial adaptation for leather: 310 × 270 × 120 mm; the sidewalls continue into a single handle, with a large open pocket at the front. Internal reinforcements were added to the handle; the pattern from the fabric source must be checked on the selected leather.



Scale check: 100 mm

Print: 100%, actual size.

Page: 364 × 366 mm.

Parameters and updates: vlotho-farben.com/cad/models/side-handle-tote/

Prototype: fold and thickness adjustments are not included.

02 / Back panel

Edge: 310 × 270 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The source has no scale. Trial adaptation for leather: 310 × 270 × 120 mm; the sidewalls continue into a single handle, with a large open pocket at the front. Internal reinforcements were added to the handle; the pattern from the fabric source must be checked on the selected leather.



Scale check: 100 mm

Print: 100%, actual size.

Page: 364 × 366 mm.

Parameters and updates: vlotho-farben.com/cad/models/side-handle-tote/

Prototype: fold and thickness adjustments are not included.

03 / Bottom


3 / 8

Edge: 254.2 × 120 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The source has no scale. Trial adaptation for leather: 310 × 270 × 120 mm; the sidewalls continue into a single handle, with a large open pocket at the front. Internal reinforcements were added to the handle; the pattern from the fabric source must be checked on the selected leather.



Scale check: 100 mm

Print: 100%, actual size.

Page: 308.2 × 216 mm.

Parameters and updates: vlotho-farben.com/cad/models/side-handle-tote/

Prototype: fold and thickness adjustments are not included.


VLOTHO / CAD

Edge: 120 × 543.08 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Join the handle halves at the top point through a reinforcement. Stitch the gussets to the walls up to the opening; do not sew the handle above the opening.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 639.08 mm.

Parameters and updates: vlotho-farben.com/cad/models/side-handle-tote/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD


05 / Half-handle reinforcement

Edge: 271.64 × 50 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The source has no scale. Trial adaptation for leather: 310 × 270 × 120 mm; the sidewalls continue into a single handle, with a large open pocket at the front. Internal reinforcements were added to the handle; the pattern from the fabric source must be checked on the selected leather.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/side-handle-tote/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.


Page: 325.64 × 160 mm.

Edge: 120 × 543.08 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Join the handle halves at the top point through a reinforcement. Stitch the gussets to the walls up to the opening; do not sew the handle above the opening.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 639.08 mm.

Parameters and updates: vlotho-farben.com/cad/models/side-handle-tote/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

07 / Half-handle reinforcement

7 / 8

Edge: 271.64 × 50 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The source has no scale. Trial adaptation for leather: 310 × 270 × 120 mm; the sidewalls continue into a single handle, with a large open pocket at the front. Internal reinforcements were added to the handle; the pattern from the fabric source must be checked on the selected leather.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/side-handle-tote/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 325.64 × 160 mm.


08 / External pocket with shaped opening

Edge: 269.7 × 189.8 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The source has no scale. Trial adaptation for leather: 310 × 270 × 120 mm; the sidewalls continue into a single handle, with a large open pocket at the front. Internal reinforcements were added to the handle; the pattern from the fabric source must be checked on the selected leather.



Scale check: 100 mm

Print: 100%, actual size.

Page: 323.7 × 285.8 mm.

Parameters and updates: vlotho-farben.com/cad/models/side-handle-tote/

Prototype: fold and thickness adjustments are not included.