

01 / Front wall

Piece 1/12 · Portrait A4 · row 1/2, column 1/2 · sheet 1/26

Cut edge: 350 × 250 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


01 / Front wall

Piece 1/12 · Portrait A4 · row 1/2, column 2/2 · sheet 2/26

Cut edge: 350 × 250 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

01 / Front wall

Piece 1/12 · Portrait A4 · row 2/2, column 1/2 · sheet 3/26

Cut edge: 350 × 250 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


01 / Front wall

Piece 1/12 · Portrait A4 · row 2/2, column 2/2 · sheet 4/26

Cut edge: 350 × 250 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

02 / Back panel with top fold

Piece 2/12 · Portrait A4 · row 1/2, column 1/2 · sheet 5/26

Cut edge: 350 × 284 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


02 / Back panel with top fold

Piece 2/12 · Portrait A4 · row 1/2, column 2/2 · sheet 6/26

Cut edge: 350 × 284 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

02 / Back panel with top fold

Piece 2/12 · Portrait A4 · row 2/2, column 1/2 · sheet 7/26

Cut edge: 350 × 284 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


02 / Back panel with top fold

Piece 2/12 · Portrait A4 · row 2/2, column 2/2 · sheet 8/26

Cut edge: 350 × 284 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


03 / Bottom

Piece 3/12 · Portrait A4 · row 1/2, column 1/1 · sheet 9/26

Cut edge: 350 × 174 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


03 / Bottom

Piece 3/12 · Portrait A4 · row 2/2, column 1/1 · sheet 10/26

Cut edge: 350 × 174 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


04 / Side panel · left

Piece 4/12 · Portrait A4 · row 1/2, column 1/1 · sheet 11/26

Cut edge: 174 × 250 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

04 / Side panel · left

Piece 4/12 · Portrait A4 · row 2/2, column 1/1 · sheet 12/26

Cut edge: 174 × 250 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


05 / Side panel · Right

Piece 5/12 · Portrait A4 · row 1/2, column 1/1 · sheet 13/26

Cut edge: 174 × 250 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


05 / Side panel · Right

Piece 5/12 · Portrait A4 · row 2/2, column 1/1 · sheet 14/26

Cut edge: 174 × 250 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


06 / Flap

Piece 6/12 · Portrait A4 · row 1/2, column 1/2 · sheet 15/26

Cut edge: 350 × 271 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


06 / Flap

Piece 6/12 · Portrait A4 · row 1/2, column 2/2 · sheet 16/26

Cut edge: 350 × 271 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


06 / Flap

Piece 6/12 · Portrait A4 · row 2/2, column 1/2 · sheet 17/26

Cut edge: 350 × 271 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.


06 / Flap

Piece 6/12 · Portrait A4 · row 2/2, column 2/2 · sheet 18/26

Cut edge: 350 × 271 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.  
Join the sheets of one piece by rows and columns. Overlap — 10 mm.  
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

07 / Handle · front

Piece 7/12 · Landscape A4 · row 1/1, column 1/2 · sheet 19/26


Cut edge: 520 × 45 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

07 / Handle · front

Piece 7/12 · Landscape A4 · row 1/1, column 2/2 · sheet 20/26


Cut edge: 520 × 45 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

08 / Handle · back

Piece 8/12 · Landscape A4 · row 1/1, column 1/2 · sheet 21/26


Cut edge: 520 × 45 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

08 / Handle · back

Piece 8/12 · Landscape A4 · row 1/1, column 2/2 · sheet 22/26


Cut edge: 520 × 45 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

09 / Closure strap · Left

Piece 9/12 · Landscape A4 · row 1/1, column 1/1 · sheet 23/26


Cut edge: 250 × 17 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

# 10 / Handle reinforcement · Front

Piece 10/12 · Landscape A4 · row 1/1, column 1/1 · sheet 24/26


Cut edge: 210 × 25 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

# 11 / Closure strap · Right

Piece 11/12 · Landscape A4 · row 1/1, column 1/1 · sheet 25/26


Cut edge: 250 × 17 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.

12 / Handle reinforcement · Back

Piece 12/12 · Landscape A4 · row 1/1, column 1/1 · sheet 26/26


Cut edge: 210 × 25 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.  
Geometric prototype.