

01 / Front wall

Edge: 350 × 250 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: front 350 × 250 mm, bottom 350 × 174 mm, handles 520 × 45 mm. The shaped flap, back-panel fold and straps were reconstructed separately. The handles fold to one-third of their width; select the reinforcements and lock on the mock-up.



Scale check: 100 mm

Print: 100%, actual size.

Page: 404 × 346 mm.

Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/

Prototype: fold and thickness adjustments are not included.


02 / Back panel with top fold

Edge: 350 × 284 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The back is 34 mm higher than the front; fold the section above the blue line inward.



350 mm

284 mm

Scale check: 100 mm

Print: 100%, actual size.

Page: 404 × 380 mm.

Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/

Prototype: fold and thickness adjustments are not included.

Edge: 350 × 174 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: front 350 × 250 mm, bottom 350 × 174 mm, handles 520 × 45 mm. The shaped flap, back-panel fold and straps were reconstructed separately. The handles fold to one-third of their width; select the reinforcements and lock on the mock-up.



350 mm

174 mm

Scale check: 100 mm

Print: 100%, actual size.

Page: 404 × 270 mm.

Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/


Prototype: fold and thickness adjustments are not included.

Edge: 174 × 250 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: front 350 × 250 mm, bottom 350 × 174 mm, handles 520 × 45 mm. The shaped flap, back-panel fold and straps were reconstructed separately. The handles fold to one-third of their width; select the reinforcements and lock on the mock-up.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 346 mm.

Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/


Prototype: fold and thickness adjustments are not included.

Edge: 174 × 250 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: front 350 × 250 mm, bottom 350 × 174 mm, handles 520 × 45 mm. The shaped flap, back-panel fold and straps were reconstructed separately. The handles fold to one-third of their width; select the reinforcements and lock on the mock-up.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 346 mm.

Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/

Prototype: fold and thickness adjustments are not included.

Edge: 350 × 271 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: front 350 × 250 mm, bottom 350 × 174 mm, handles 520 × 45 mm. The shaped flap, back-panel fold and straps were reconstructed separately. The handles fold to one-third of their width; select the reinforcements and lock on the mock-up.



350 mm

271 mm

Scale check: 100 mm

Print: 100%, actual size.

Page: 404 × 367 mm.

Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

07 / Handle · front

Edge: 520 × 45 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Length 520 mm according to the diagram; ends of 60 mm each are included in the blank. Fold the blank into thirds across its width; select the reinforcement after making the mock-up.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 574 × 160 mm.

08 / Handle · back

Edge: 520 × 45 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Length 520 mm according to the diagram; ends of 60 mm each are included in the blank. Fold the blank into thirds across its width; select the reinforcement after making the mock-up.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 574 × 160 mm.

09 / Closure strap · Left


9 / 12

Edge: 250 × 17 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

250 × 17 mm strap according to the diagram. Determine the attachment allowance and slot for the lock according to the hardware.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 304 × 160 mm.

10 / Handle reinforcement · Front


10 / 12

Edge: 210 × 25 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: front 350 × 250 mm, bottom 350 × 174 mm, handles 520 × 45 mm. The shaped flap, back-panel fold and straps were reconstructed separately. The handles fold to one-third of their width; select the reinforcements and lock on the mock-up.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 264 × 160 mm.

11 / Closure strap · Right


11 / 12

Edge: 250 × 17 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

250 × 17 mm strap according to the diagram. Determine the attachment allowance and slot for the lock according to the hardware.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 304 × 160 mm.

VLOTHO / CAD

12 / Handle reinforcement · Back


12 / 12

Edge: 210 × 25 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: front 350 × 250 mm, bottom 350 × 174 mm, handles 520 × 45 mm. The shaped flap, back-panel fold and straps were reconstructed separately. The handles fold to one-third of their width; select the reinforcements and lock on the mock-up.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/strapped-handbag/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 264 × 160 mm.