


01 / Front wall

Edge: 120 × 200 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: body 120 × 200 mm, 20 mm side folds, 1300 mm strap. Front and base with integral sides and bottom, separate flap, tassel with slots, and hanging loop. The tassel is a separate decorative piece; check all dimensions against the phone.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 296 mm.

Parameters and updates: vlotho-farben.com/cad/models/tassel-phone/

Prototype: fold and thickness adjustments are not included.

02 / Back panel with side folds and bottom


2 / 8

Edge: 160 × 220 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: body 120 × 200 mm, 20 mm side folds, 1300 mm strap. Front and base with integral sides and bottom, separate flap, tassel with slots, and hanging loop. The tassel is a separate decorative piece; check all dimensions against the phone.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 316 mm.

Parameters and updates: vlotho-farben.com/cad/models/tassel-phone/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

03 / Flap


3 / 8

Edge: 120 × 112 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: body 120 × 200 mm, 20 mm side folds, 1300 mm strap. Front and base with integral sides and bottom, separate flap, tassel with slots, and hanging loop. The tassel is a separate decorative piece; check all dimensions against the phone.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 208 mm.

Parameters and updates: vlotho-farben.com/cad/models/tassel-phone/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

04 / Strap attachment · 1


4 / 8

Edge: 15 × 60 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: body 120 × 200 mm, 20 mm side folds, 1300 mm strap. Front and base with integral sides and bottom, separate flap, tassel with slots, and hanging loop. The tassel is a separate decorative piece; check all dimensions against the phone.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 160 mm.

Parameters and updates: vlotho-farben.com/cad/models/tassel-phone/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

05 / Strap attachment · 2


5 / 8

Edge: 15 × 60 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: body 120 × 200 mm, 20 mm side folds, 1300 mm strap. Front and base with integral sides and bottom, separate flap, tassel with slots, and hanging loop. The tassel is a separate decorative piece; check all dimensions against the phone.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 160 mm.

Parameters and updates: vlotho-farben.com/cad/models/tassel-phone/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD


06 / Adjustable strap

Edge: 1300 × 15 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The blank length includes the attachment ends. Punching Ø 3 mm; check against the buckle. The strap is shown with a nominal curve.



07 / Tassel · Fringe slots


7 / 8

Edge: 72 × 85 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The black internal lines are fringe cuts: cut from the bottom to the line 15 mm from the top. Twist around the loop; secure the top with glue and a ferrule.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/tassel-phone/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 181 mm.

08 / Tassel hanging loop


8 / 8

Edge: 170 × 6 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

According to the diagram: body 120 × 200 mm, 20 mm side folds, 1300 mm strap. Front and base with integral sides and bottom, separate flap, tassel with slots, and hanging loop. The tassel is a separate decorative piece; check all dimensions against the phone.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/tassel-phone/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 160 mm.