


01 / Front wall

Edge: 183.08 × 170 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The diagram shows a 170 mm flap and a 115 mm tab; some dimensions are ambiguous. Preliminary body dimensions of 190 × 170 × 65 mm were adopted. The tab is a separate piece with a round head and passes under the belt loop.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 266 mm.

Parameters and updates: vlotho-farben.com/cad/models/tongue-saddle/

Prototype: fold and thickness adjustments are not included.


02 / Side panel and bottom · Continuous strip

Edge: 472.48 × 65 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The length of the base strip equals the length of the side and bottom contour of the wall. Align the middle of the bottom. Check the seam offset and thickness on the mock-up.



Scale check: 100 mm

Print: 100%, actual size.

Page: 526.48 × 161 mm.

Parameters and updates: vlotho-farben.com/cad/models/tongue-saddle/

Prototype: fold and thickness adjustments are not included.


03 / Back panel

Edge: 183.08 × 170 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The diagram shows a 170 mm flap and a 115 mm tab; some dimensions are ambiguous. Preliminary body dimensions of 190 × 170 × 65 mm were adopted. The tab is a separate piece with a round head and passes under the belt loop.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 266 mm.



Parameters and updates: vlotho-farben.com/cad/models/tongue-saddle/

Prototype: fold and thickness adjustments are not included.


04 / Flap

Edge: 157.7 × 202 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The diagram shows a 170 mm flap and a 115 mm tab; some dimensions are ambiguous. Preliminary body dimensions of 190 × 170 × 65 mm were adopted. The tab is a separate piece with a round head and passes under the belt loop.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 298 mm.

Parameters and updates: vlotho-farben.com/cad/models/tongue-saddle/

Prototype: fold and thickness adjustments are not included.

05 / Strap attachment · left


5 / 9

Edge: 20 × 70 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The diagram shows a 170 mm flap and a 115 mm tab; some dimensions are ambiguous. Preliminary body dimensions of 190 × 170 × 65 mm were adopted. The tab is a separate piece with a round head and passes under the belt loop.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 166 mm.

Parameters and updates: vlotho-farben.com/cad/models/tongue-saddle/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

06 / Strap attachment · right


6 / 9

Edge: 20 × 70 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The diagram shows a 170 mm flap and a 115 mm tab; some dimensions are ambiguous. Preliminary body dimensions of 190 × 170 × 65 mm were adopted. The tab is a separate piece with a round head and passes under the belt loop.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 166 mm.

Parameters and updates: vlotho-farben.com/cad/models/tongue-saddle/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD


07 / Shoulder strap

Edge: 1150 × 20 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The trial length includes ends for adjustment. Holes Ø 3 mm; check against the buckle. Carabiners and rings are purchased hardware.



08 / Sew-on tab


8 / 9

Edge: 27.19 × 115 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

115 mm tongue according to the diagram. Stitch the rounded end to the flap; pass the free end under the belt loop.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 211 mm.

Parameters and updates: vlotho-farben.com/cad/models/tongue-saddle/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

09 / Closure keeper


9 / 9

Edge: 60 × 16 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The diagram shows a 170 mm flap and a 115 mm tab; some dimensions are ambiguous. Preliminary body dimensions of 190 × 170 × 65 mm were adopted. The tab is a separate piece with a round head and passes under the belt loop.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 160 mm.



Parameters and updates: vlotho-farben.com/cad/models/tongue-saddle/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD