


01 / Main tool-roll layout

Edge: 480 × 300 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Model shown open. The depth dimension defines the approximate diameter of the roll and the length of the outer straps.



Scale check: 100 mm

Print: 100%, actual size.

Page: 534 × 396 mm.


02 / Tool pocket 1

Edge: 69 × 156 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Sew the side and bottom edges, leaving the top open. Use the top-edge stitching as a guide for the fold.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/tool-roll/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 252 mm.


03 / Tool pocket 2

Edge: 69 × 156 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Sew the side and bottom edges, leaving the top open. Use the top-edge stitching as a guide for the fold.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/tool-roll/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 252 mm.


04 / Tool pocket 3

Edge: 69 × 156 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Sew the side and bottom edges, leaving the top open. Use the top-edge stitching as a guide for the fold.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/tool-roll/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 252 mm.


05 / Tool pocket 4

Edge: 69 × 156 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Sew the side and bottom edges, leaving the top open. Use the top-edge stitching as a guide for the fold.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/tool-roll/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 252 mm.


06 / Tool pocket 5

Edge: 69 × 156 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Sew the side and bottom edges, leaving the top open. Use the top-edge stitching as a guide for the fold.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 252 mm.

Parameters and updates: vlotho-farben.com/cad/models/tool-roll/

Prototype: fold and thickness adjustments are not included.


07 / Tool pocket 6

Edge: 69 × 156 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Sew the side and bottom edges, leaving the top open. Use the top-edge stitching as a guide for the fold.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/tool-roll/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 252 mm.


08 / Protective flap

Edge: 444 × 114 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Layout 480 × 300 mm, six flat pockets, and a separate protective flap. In 3D, the bag is shown open for pocket inspection; the roll diameter is approximate. Two outer straps with buckle holes; check the pocket volume and width against your tools.



Scale check: 100 mm

Print: 100%, actual size.

Page: 498 × 210 mm.

Parameters and updates: vlotho-farben.com/cad/models/tool-roll/

Prototype: fold and thickness adjustments are not included.


09 / Strap · closure--1

Edge: 382.74 × 20 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Layout 480 × 300 mm, six flat pockets, and a separate protective flap. In 3D, the bag is shown open for pocket inspection; the roll diameter is approximate. Two outer straps with buckle holes; check the pocket volume and width against your tools.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/tool-roll/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 436.74 × 160 mm.


10 / Strap · closure-1

Edge: 382.74 × 20 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Layout 480 × 300 mm, six flat pockets, and a separate protective flap. In 3D, the bag is shown open for pocket inspection; the roll diameter is approximate. Two outer straps with buckle holes; check the pocket volume and width against your tools.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/tool-roll/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 436.74 × 160 mm.