

01 / Front wall

Piece 1/13 · Landscape A4 · row 1/2, column 1/1 · sheet 1/21


Cut edge: 252 × 136 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

01 / Front wall

Piece 1/13 · Landscape A4 · row 2/2, column 1/1 · sheet 2/21


Cut edge: 252 × 136 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

02 / Back panel

Piece 2/13 · Landscape A4 · row 1/2, column 1/1 · sheet 3/21


Cut edge: 252 × 136 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.

Geometric prototype.

02 / Back panel

Piece 2/13 · Landscape A4 · row 2/2, column 1/1 · sheet 4/21


Cut edge: 252 × 136 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.

Geometric prototype.

03 / Side panel with rounded top

Piece 3/13 · Landscape A4 · row 1/1, column 1/2 · sheet 5/21


Cut edge: 512.06 × 77 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side panel with rounded top

Piece 3/13 · Landscape A4 · row 1/1, column 2/2 · sheet 6/21


Cut edge: 512.06 × 77 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

04 / Flap with smooth foldover

Piece 4/13 · Landscape A4 · row 1/2, column 1/1 · sheet 7/21


Cut edge: 252 × 203.53 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

04 / Flap with smooth foldover

Piece 4/13 · Landscape A4 · row 2/2, column 1/1 · sheet 8/21


Cut edge: 252 × 203.53 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

05 / Handle — outer layer

Piece 5/13 · Landscape A4 · row 1/1, column 1/1 · sheet 9/21

Cut edge: 229.41 × 24 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

06 / Handle — inner layer

Piece 6/13 · Landscape A4 · row 1/1, column 1/1 · sheet 10/21

Cut edge: 229.41 × 24 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

07 / Handle attachment — left

Piece 7/13 · Portrait A4 · row 1/1, column 1/1 · sheet 11/21


Cut edge: 28 × 56 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


08 / Handle attachment — right

Piece 8/13 · Portrait A4 · row 1/1, column 1/1 · sheet 12/21

Cut edge: 28 × 56 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
The piece fits entirely on this sheet. No assembly is required.
Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

09 / Front panel binding

Piece 9/13 · Landscape A4 · row 1/1, column 1/2 · sheet 13/21


Cut edge: 478.06 × 17.65 mm · Seam allowance included

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

09 / Front panel binding

Piece 9/13 · Landscape A4 · row 1/1, column 2/2 · sheet 14/21


Cut edge: 478.06 × 17.65 mm · Seam allowance included

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Back panel binding

Piece 10/13 · Landscape A4 · row 1/1, column 1/2 · sheet 15/21


Cut edge: 478.06 × 17.65 mm · Seam allowance included

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Back panel binding

Piece 10/13 · Landscape A4 · row 1/1, column 2/2 · sheet 16/21


Cut edge: 478.06 × 17.65 mm · Seam allowance included

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

11 / Flap binding

Piece 11/13 · Landscape A4 · row 1/1, column 1/3 · sheet 17/21


Cut edge: 596.62 × 17.65 mm · Seam allowance included

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

11 / Flap binding

Piece 11/13 · Landscape A4 · row 1/1, column 2/3 · sheet 18/21


Cut edge: 596.62 × 17.65 mm · Seam allowance included

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

11 / Flap binding

Piece 11/13 · Landscape A4 · row 1/1, column 3/3 · sheet 19/21

Cut edge: 596.62 × 17.65 mm · Seam allowance included

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

12 / Back pocket

Piece 12/13 · Landscape A4 · row 1/1, column 1/1 · sheet 20/21


Cut edge: 228 × 108 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

13 / Inner card pocket

Piece 13/13 · Landscape A4 · row 1/1, column 1/1 · sheet 21/21


Cut edge: 108 × 70 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.