

01 / Front wall

Piece 1/13 · Landscape A4 · row 1/3, column 1/1 · sheet 1/27


Cut edge: 230 × 330 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

01 / Front wall

Piece 1/13 · Landscape A4 · row 2/3, column 1/1 · sheet 2/27

Cut edge: 230 × 330 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.

Geometric prototype.

01 / Front wall

Piece 1/13 · Landscape A4 · row 3/3, column 1/1 · sheet 3/27


Cut edge: 230 × 330 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

02 / Back and flap · One-piece layout

Piece 2/13 · Landscape A4 · row 1/2, column 1/2 · sheet 4/27

Cut edge: 230 × 515 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

02 / Back and flap · One-piece layout

Piece 2/13 · Landscape A4 · row 1/2, column 2/2 · sheet 5/27


Cut edge: 230 × 515 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

02 / Back and flap · One-piece layout

Piece 2/13 · Landscape A4 · row 2/2, column 1/2 · sheet 6/27

Cut edge: 230 × 515 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.

Geometric prototype.

02 / Back and flap · One-piece layout

Piece 2/13 · Landscape A4 · row 2/2, column 2/2 · sheet 7/27


Cut edge: 230 × 515 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.

Geometric prototype.

03 / Side panel and bottom

Piece 3/13 · Landscape A4 · row 1/1, column 1/4 · sheet 8/27


Cut edge: 874.55 × 70 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side panel and bottom

Piece 3/13 · Landscape A4 · row 1/1, column 2/4 · sheet 9/27


Cut edge: 874.55 × 70 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side panel and bottom

Piece 3/13 · Landscape A4 · row 1/1, column 3/4 · sheet 10/27


Cut edge: 874.55 × 70 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

03 / Side panel and bottom

Piece 3/13 · Landscape A4 · row 1/1, column 4/4 · sheet 11/27

Cut edge: 874.55 × 70 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


04 / Pocket · pocket-left

Piece 4/13 · Portrait A4 · row 1/1, column 1/1 · sheet 12/27

Cut edge: 97 × 148.5 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
The piece fits entirely on this sheet. No assembly is required.
Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

05 / Pocket side panel and bottom · pocket-left

Piece 5/13 · Landscape A4 · row 1/1, column 1/2 · sheet 13/27


Cut edge: 385.67 × 22 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

05 / Pocket side panel and bottom · pocket-left

Piece 5/13 · Landscape A4 · row 1/1, column 2/2 · sheet 14/27


Cut edge: 385.67 × 22 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

06 / Pocket flap · pocket-left

Piece 6/13 · Portrait A4 · row 1/1, column 1/1 · sheet 15/27


Cut edge: 97 × 97 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


07 / Pocket · pocket-right

Piece 7/13 · Portrait A4 · row 1/1, column 1/1 · sheet 16/27

Cut edge: 97 × 148.5 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
The piece fits entirely on this sheet. No assembly is required.
Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

08 / Pocket side panel and bottom · pocket-right

Piece 8/13 · Landscape A4 · row 1/1, column 1/2 · sheet 17/27


Cut edge: 385.67 × 22 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

08 / Pocket side panel and bottom · pocket-right

Piece 8/13 · Landscape A4 · row 1/1, column 2/2 · sheet 18/27

Cut edge: 385.67 × 22 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

09 / Pocket flap · pocket-right

Piece 9/13 · Portrait A4 · row 1/1, column 1/1 · sheet 19/27


Cut edge: 97 × 97 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Inner flat pocket

Piece 10/13 · Portrait A4 · row 1/1, column 1/1 · sheet 20/27


Cut edge: 172.5 × 181.5 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

11 / Strap attachment · left

Piece 11/13 · Portrait A4 · row 1/1, column 1/1 · sheet 21/27


Cut edge: 30 × 70 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

12 / Strap attachment · right

Piece 12/13 · Portrait A4 · row 1/1, column 1/1 · sheet 22/27


Cut edge: 30 × 70 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

13 / Shoulder strap

Piece 13/13 · Landscape A4 · row 1/1, column 1/5 · sheet 23/27


Cut edge: 1200 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

13 / Shoulder strap

Piece 13/13 · Landscape A4 · row 1/1, column 2/5 · sheet 24/27

Cut edge: 1200 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

13 / Shoulder strap

Piece 13/13 · Landscape A4 · row 1/1, column 3/5 · sheet 25/27


Cut edge: 1200 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

13 / Shoulder strap

Piece 13/13 · Landscape A4 · row 1/1, column 4/5 · sheet 26/27


Cut edge: 1200 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

13 / Shoulder strap

Piece 13/13 · Landscape A4 · row 1/1, column 5/5 · sheet 27/27


Cut edge: 1200 × 30 mm · Seam allowance: 0 mm

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.