

01 / Front wall

Edge: 240 × 165 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Provisional dimensions 240 × 165 × 100 mm. Front, back, and central divider; two separate closed compartments with zippers along the upper arc. The compartments are divided over their full height; soft protective inserts for the camera are selected separately.



Scale check: 100 mm

Print: 100%, actual size.

Page: 294 × 261 mm.

Parameters and updates: vlotho-farben.com/cad/models/twin-zip-camera/

Prototype: fold and thickness adjustments are not included.

02 / Central divider

Edge: 240 × 165 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Provisional dimensions 240 × 165 × 100 mm. Front, back, and central divider; two separate closed compartments with zippers along the upper arc. The compartments are divided over their full height; soft protective inserts for the camera are selected separately.



Scale check: 100 mm

Print: 100%, actual size.

Page: 294 × 261 mm.

Parameters and updates: vlotho-farben.com/cad/models/twin-zip-camera/

Prototype: fold and thickness adjustments are not included.

03 / Back panel

Edge: 240 × 165 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Provisional dimensions 240 × 165 × 100 mm. Front, back, and central divider; two separate closed compartments with zippers along the upper arc. The compartments are divided over their full height; soft protective inserts for the camera are selected separately.



Scale check: 100 mm

Print: 100%, actual size.

Page: 294 × 261 mm.

Parameters and updates: vlotho-farben.com/cad/models/twin-zip-camera/

Prototype: fold and thickness adjustments are not included.

04 / Compartment wall 1

Edge: 768.58 × 50 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The zipper runs along the straight upper section. Close the strip into a ring, then sew it between adjacent walls.



Scale check: 100 mm

Print: 100%, actual size.

Page: 822.58 × 160 mm.

Parameters and updates: vlotho-farben.com/cad/models/twin-zip-camera/

Prototype: fold and thickness adjustments are not included.


05 / Compartment wall 2

Edge: 768.58 × 50 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The zipper runs along the straight upper section. Close the strip into a ring, then sew it between adjacent walls.



Scale check: 100 mm

Print: 100%, actual size.

Page: 822.58 × 160 mm.

Parameters and updates: vlotho-farben.com/cad/models/twin-zip-camera/

Prototype: fold and thickness adjustments are not included.

06 / Strap attachment · left


6 / 8

Edge: 25 × 70 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Provisional dimensions 240 × 165 × 100 mm. Front, back, and central divider; two separate closed compartments with zippers along the upper arc. The compartments are divided over their full height; soft protective inserts for the camera are selected separately.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/twin-zip-camera/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 166 mm.

07 / Strap attachment · right


7 / 8

Edge: 25 × 70 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

Provisional dimensions 240 × 165 × 100 mm. Front, back, and central divider; two separate closed compartments with zippers along the upper arc. The compartments are divided over their full height; soft protective inserts for the camera are selected separately.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/twin-zip-camera/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 240 × 166 mm.

08 / Shoulder strap

Edge: 1150 × 25 mm | Seam allowance: 0 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - stitching line, blue dashes - marks.

Hand stitch · spacing 4 mm · holes Ø 0.8 mm

The trial length includes ends for adjustment. Holes Ø 3 mm; check against the buckle. Carabiners and rings are purchased hardware.

