


01 / Front wall

Piece 1/12 · Portrait A4 · row 1/2, column 1/2 · sheet 1/33

Cut edge: 352.67 × 402 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


01 / Front wall

Piece 1/12 · Portrait A4 · row 1/2, column 2/2 · sheet 2/33

Cut edge: 352.67 × 402 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


01 / Front wall

Piece 1/12 · Portrait A4 · row 2/2, column 1/2 · sheet 3/33

Cut edge: 352.67 × 402 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


01 / Front wall

Piece 1/12 · Portrait A4 · row 2/2, column 2/2 · sheet 4/33

Cut edge: 352.67 x 402 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


02 / Back panel

Piece 2/12 · Portrait A4 · row 1/2, column 1/2 · sheet 5/33

Cut edge: 352.67 × 402 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


02 / Back panel

Piece 2/12 · Portrait A4 · row 1/2, column 2/2 · sheet 6/33

Cut edge: 352.67 × 402 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


02 / Back panel

Piece 2/12 · Portrait A4 · row 2/2, column 1/2 · sheet 7/33

Cut edge: 352.67 × 402 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


02 / Back panel

Piece 2/12 · Portrait A4 · row 2/2, column 2/2 · sheet 8/33

Cut edge: 352.67 × 402 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


03 / Side panel and bottom

Piece 3/12 · Portrait A4 · row 1/6, column 1/1 · sheet 9/33

Cut edge: 1075 × 122 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


03 / Side panel and bottom

Piece 3/12 · Portrait A4 · row 2/6, column 1/1 · sheet 10/33

Cut edge: 1075 × 122 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


03 / Side panel and bottom

Piece 3/12 · Portrait A4 · row 3/6, column 1/1 · sheet 11/33

Cut edge: 1075 × 122 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


03 / Side panel and bottom

Piece 3/12 · Portrait A4 · row 4/6, column 1/1 · sheet 12/33

Cut edge: 1075 × 122 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


03 / Side panel and bottom

Piece 3/12 · Portrait A4 · row 5/6, column 1/1 · sheet 13/33

Cut edge: 1075 × 122 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


03 / Side panel and bottom

Piece 3/12 · Portrait A4 · row 6/6, column 1/1 · sheet 14/33

Cut edge: 1075 × 122 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

04 / Top facing — Front

Piece 4/12 · Landscape A4 · row 1/1, column 1/2 · sheet 15/33


Cut edge: 352.67 × 67 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

04 / Top facing — Front

Piece 4/12 · Landscape A4 · row 1/1, column 2/2 · sheet 16/33

Cut edge: 352.67 × 67 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

05 / Top facing — Back

Piece 5/12 · Landscape A4 · row 1/1, column 1/2 · sheet 17/33


Cut edge: 352.67 × 67 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

05 / Top facing — Back

Piece 5/12 · Landscape A4 · row 1/1, column 2/2 · sheet 18/33

Cut edge: 352.67 × 67 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

06 / Handle— front

Piece 6/12 · Landscape A4 · row 1/1, column 1/2 · sheet 19/33


Cut edge: 455.45 × 32 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

06 / Handle— front

Piece 6/12 · Landscape A4 · row 1/1, column 2/2 · sheet 20/33


Cut edge: 455.45 × 32 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

07 / Handle— back

Piece 7/12 · Landscape A4 · row 1/1, column 1/2 · sheet 21/33


Cut edge: 455.45 × 32 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

07 / Handle— back

Piece 7/12 · Landscape A4 · row 1/1, column 2/2 · sheet 22/33


Cut edge: 455.45 × 32 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


08 / Pocket bag — with window

Piece 8/12 · Portrait A4 · row 1/2, column 1/1 · sheet 23/33

Cut edge: 276 × 142 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


08 / Pocket bag — with window

Piece 8/12 · Portrait A4 · row 2/2, column 1/1 · sheet 24/33

Cut edge: 276 × 142 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.


09 / Pocket bag — back

Piece 9/12 · Portrait A4 · row 1/2, column 1/1 · sheet 25/33

Cut edge: 276 × 142 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

09 / Pocket bag — back

Piece 9/12 · Portrait A4 · row 2/2, column 1/1 · sheet 26/33

Cut edge: 276 × 142 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.
Join the sheets of one piece by rows and columns. Overlap — 10 mm.
Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Shoulder strap

Piece 10/12 · Landscape A4 · row 1/1, column 1/5 · sheet 27/33


Cut edge: 1182 × 28 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Shoulder strap

Piece 10/12 · Landscape A4 · row 1/1, column 2/5 · sheet 28/33


Cut edge: 1182 × 28 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Shoulder strap

Piece 10/12 · Landscape A4 · row 1/1, column 3/5 · sheet 29/33


Cut edge: 1182 × 28 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Shoulder strap

Piece 10/12 · Landscape A4 · row 1/1, column 4/5 · sheet 30/33


Cut edge: 1182 × 28 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

10 / Shoulder strap

Piece 10/12 · Landscape A4 · row 1/1, column 5/5 · sheet 31/33

Cut edge: 1182 × 28 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

Join the sheets of one piece by rows and columns. Overlap — 10 mm.

Trim the outer margins along the frame on the overlaid sheet; align the crosses and outlines.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

11 / Strap attachment — left

Piece 11/12 · Portrait A4 · row 1/1, column 1/1 · sheet 32/33


Cut edge: 32 × 92 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.

12 / Strap attachment — right

Piece 12/12 · Portrait A4 · row 1/1, column 1/1 · sheet 33/33


Cut edge: 32 × 92 mm · Seam allowance: 6 mm

Machine stitching · stitch length 4 mm

Solid line — cut edge; dashed line — base line; blue dashes — marks.

The piece fits entirely on this sheet. No assembly is required.

Check the 100 mm test segment after printing; cut out the piece along the outline.



A4 · 100% / actual size · no fitting · one-sided printing

Scale check: 100 mm



Check the patterns and assembly on a mock-up.
Geometric prototype.