


01 / Front wall

Baseline: 340 × 390 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Zipper window 240 × 6 mm without seam allowance. Install the pocket bag on the wrong side.



352.67 mm

402 mm

Scale check: 100 mm

Print: 100%, actual size.

Page: 406.67 × 498 mm.

Parameters and updates: vlotho-farben.com/cad/models/ziptote/

Prototype: fold and thickness adjustments are not included.


02 / Back panel

Baseline: 340 × 390 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Secure the handle with rectangular stitching; join the top to the facing.



352.67 mm

402 mm

Scale check: 100 mm

Print: 100%, actual size.

Page: 406.67 × 498 mm.


03 / Side panel and bottom

Baseline: 1063 × 110 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching - stitch length 4 mm

Center — middle of the bottom. Lengthwise seams correspond to the U-shaped edges of the side panels.




04 / Top facing — Front

Baseline: 340 × 55 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Secure the handle with rectangular stitching; join the top to the facing.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/ziptote/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 406.67 × 163 mm.


05 / Top facing — Back

Baseline: 340 × 55 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Secure the handle with rectangular stitching; join the top to the facing.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/ziptote/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 406.67 × 163 mm.

06 / Handle— front

Baseline: 443.45 × 20 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Secure the 38 mm ends to the side panel. Blue lines mark the level of the top of the body.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/ziptote/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 509.45 × 160 mm.

07 / Handle— back

Baseline: 443.45 × 20 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Secure the 38 mm ends to the side panel. Blue lines mark the level of the top of the body.



Scale check: 100 mm



Parameters and updates: vlotho-farben.com/cad/models/ziptote/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 509.45 × 160 mm.


08 / Pocket bag — with window

Baseline: 264 × 130 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Align the window with the front of the bag. Zipper between the panel and the pocket bag.



Scale check: 100 mm

Parameters and updates: vlotho-farben.com/cad/models/ziptote/

Prototype: fold and thickness adjustments are not included.

Print: 100%, actual size.

Page: 330 × 238 mm.


09 / Pocket bag — back

Baseline: 264 × 130 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Join to the front pocket bag around the perimeter; do not sew to the panel along the bottom.



Scale check: 100 mm

Print: 100%, actual size.

Page: 330 × 238 mm.

Parameters and updates: vlotho-farben.com/cad/models/ziptote/

Prototype: fold and thickness adjustments are not included.


10 / Shoulder strap

Baseline: 1170 × 16 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Working length 1100 mm + 35 mm ends for carabiners.



11 / Strap attachment — left


11 / 12

Baseline: 20 × 80 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Fold in half around the D-ring; secure to the side panel according to the markings.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 188 mm.



Parameters and updates: vlotho-farben.com/cad/models/ziptote/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD

12 / Strap attachment — right


12 / 12

Baseline: 20 × 80 mm | Seam allowance: 6 mm | 1 part.

Scale 1:1. Solid line - cut edge, dashed line - baseline, blue dashes - marks.

Machine stitching · stitch length 4 mm

Fold in half around the D-ring; secure to the side panel according to the markings.



Scale check: 100 mm

Print: 100%, actual size.

Page: 240 × 188 mm.

Parameters and updates: vlotho-farben.com/cad/models/ziptote/

Prototype: fold and thickness adjustments are not included.

VLOTHO / CAD